



261 Mountain View Dr
 Colchester, VT 05446
 License #: TLAB0030
 802-767-7256
 info@vt.steepphill.com

Certificate of Analysis

Client Name: Low Key Alchemy
License Number: MANU0013

Sample ID: VT240
Sample Description: Rebel Cookies Ice Water Extract
Sample Name: MANU-0013-003
Sample Matrix: Mechanical Extraction Concentrates
Date Received: 12/13/2022
Date Reported: 12/30/2022



Potency

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC; SOP-024-VT) | Test ID: #478

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBDV	ND	ND	0.0008	0.0040
CBDVA	ND	ND	0.0001	0.0040
THCV	ND	ND	0.0016	0.0049
CBDA	ND	ND	0.0002	0.0040
CBD	0.3233	3.233	0.0008	0.0040
CBG	ND	ND	0.0009	0.0040
CBGA	4.2698	42.698	0.0001	0.0040
THCVA	0.3677	3.677	0.0002	0.0040
CBN	ND	ND	0.0004	0.0040
CBCVA	ND	ND	0.0004	0.0040
D9 THC	0.5898	5.898	0.0016	0.0049
D8 THC	ND	ND	0.0012	0.0040
CBNA	< LOQ	< LOQ	0.0002	0.0040
D10 THC	< LOQ	< LOQ	0.0004	0.0040
CBC	ND	ND	0.0003	0.0040
THCA	52.8959	528.959	0.0002	0.0040
CBCA	2.037	20.37	0.0002	0.0040

Total Cannabinoids		
	%	mg/g
Total THC:	46.980	469.795
Total Cannabinoids:	60.484	604.835

Total theoretical THC % = (delta-9-THC%) + (THCA% * 0.877)

Pathogens PASS

Microbiological screening utilizing qPCR (SOP-204-VT) | Test ID: #481

Analyte	Result	Pass/Fail
A. Fumigatus	None Detected	PASS
A. Niger	None Detected	PASS
A. Flavus	None Detected	PASS
A. Terreus	None Detected	PASS
STEC	None Detected	PASS
Salmonella	None Detected	PASS



Sample ID: VT240

In performing the services, Steep Hill Vermont Labs, ("SHVT") shall exercise a degree of skill and care ordinarily exercised by a reasonably prudent laboratory professional under similar circumstances. Except as set forth in the preceding sentence, client acknowledges and agrees that: (a) the services may require SHVT to make judgements based upon limited data rather than upon scientific certainties; (b) SHVT's approach, recommendations, and associated cost estimates, if any, are based on industry practices and averages; (c) SHVT renders its opinions with respect to observations made and data available at the time of testing; (d) ultimate outcomes could be inconsistent with SHVT's conclusions, results and projections; and (e) there may be additional reports relating to the site (whether prepared by SHVT or other parties), and reliance upon any SHVT report without reference to any such other reports is done at client's sole risk.





261 Mountain View Dr
Colchester, VT 05446
License #: TLAB0030
802-767-7256
info@vt.steeptill.com

Certificate of Analysis

Callie Chapman
Lab Director
12/30/2022



Sample ID: VT240

In performing the services, Steep Hill Vermont Labs, ("SHVT") shall exercise a degree of skill and care ordinarily exercised by a reasonably prudent laboratory professional under similar circumstances. Except as set forth in the preceding sentence, client acknowledges and agrees that: (a) the services may require SHVT to make judgements based upon limited data rather than upon scientific certainties; (b) SHVT's approach, recommendations, and associated cost estimates, if any, are based on industry practices and averages; (c) SHVT renders its opinions with respect to observations made and data available at the time of testing; (d) ultimate outcomes could be inconsistent with SHVT's conclusions, results and projections; and (e) there may be additional reports relating to the site (whether prepared by SHVT or other parties), and reliance upon any SHVT report without reference to any such other reports is done at client's sole risk.

