

Certificate of Analysis

Company: Sky High Cannabis

1331 Goodaleville Rd

South Londonderry, VT 05155

Customer ID: 221028-3

Grower License #: SCLT0128

Sample ID: Strawberry Cough

Lot: N/A

Matrix: Flower

Date Sampled: 11/29/2022

Date Received: 11/29/2022

Report Date: 12/15/2022

Date Analyzed: 12/13/2022

Analyst: 050

Report ID: C221129AB

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	<LOQ	<LOQ
CBDA	0.0008	0.63	0.06
CBGA	0.0008	9.27	0.93
CBG	0.0019	0.78	0.08
CBD	0.0019	<LOQ	<LOQ
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	<LOQ	<LOQ
Δ9-THC	0.0020	13.21	1.32
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	206.42	20.64
CBC	0.0024	0.69	0.07
Total THC		194.24	19.42
Total CBD		0.55	0.06
Total Cannabinoids		231.00	23.10

19.42%

Total THC

0.06%

Total CBD

23.1%

**Total
Cannabinoids**

1.32%

Δ9-THC

12.30%

**Percent
Moisture**

1 : 0

**THC : CBD
Ratio**

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

Total THC = (THCA × 0.877) + Δ9-THC Total CBD = (CBDA × 0.877) + CBD
 Ratio of Total CBD: Total THC Reagent (blanks): < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.

Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model NB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:



Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

